

10/24/2019

SYREN PARTS LIST MS2260

PART	ITEM	QUANTITY	DESCRIPTION/NOTES		
BRITANNIA CASTINGS - 4 Bags					
WP8300 WP8301 WP8302 WP8303	Anchor Anchor stock Quarter badges P Quarter badges S	2 2 1 1			
WP8304 WP8305 WP8306 WP8307 WP8308 WP7812	Figurehead Stern carving beginning P Stern carving center Stern carving end S Steering Wheel Long guns	1 1 1 1 1 2			
WP8310 WP8311 WP0806 WP0046 WP0426	Carronades Carronade trucks 5mm Cleats 10mm Cleats Bell	16 16 55 10			

BRASS AND MISCELLANEOUS FITTINGS AND MATERIAL

WP0940	Nails	130	
WP0429	Brass Small Eyebolts	320	
WP1181	Cannon balls	80	
WP0410	Belaying Pins	100	
WP0949	Brass Beads	40	
WP0952	Split Rings	20	
WP2872	Gratings	160	
WP2260FL-A	Large flag	1	
WP2260FL-B	Small flag	1	
WP2828	Netting	27"	
WP0435	Chain	12"	
WP123121	Ø.032" Steel Wire	6ft	same (WP40222SEC)
WP0888	Brass strip	12"	
WP127K-12	Ø1/18 x 12" tube	1	
WP123119	Ø.014" Steel Wire (123119)	50ft	same (WP40282SEC)
WP1738	Photo etched 0.7mm	1	
WP0976	1/14" Copper Tape	36yd	

DEADEYES, BLOCKS, AND OTHER WOOD FITTINGS

Note: All deadeyes and blocks are Walnut unless otherwise noted.

WP0301	3/32" Single Blocks	310
WP0302	1/8" Single Blocks	55
WP0306	13/32" Single Blocks	15
WP0308	1/8" Double Blocks	36
WP0339	Ø3.5" Deadeyes	36
WP0390	Ø2.5" Deadeyes	55

RIGGING LINE

Note: Rigging line is Cotton/Poly mix. Black is for standing rigging. Manila is for running rigging. Stain line for other desired coloring.

WP1218	Ø.008" Black	40 yds	.2mm Jewelry Nylon
WP1203	Ø.012" Black	8 yds	.3mm Jewelry Nylon
WP1204	Ø.018" Black	11 yds	.4mm Jewelry Nylon
WP1210	Ø.021" Black	10 yds	.5mm Jewelry Nylon
WP1211	Ø.028" Black	10 yds	.7mm Jewelry Nylon
WP1215	Ø.040" Black	2 yds	1 mm Jewelry Nylon
WP1241	∅.008" Manila Hemp	70 yds	.2mm Jewelry Nylon
WP1246	Ø.012" Manila Hemp	22 yds	.3mm Jewelry Nylon
WP1247	Ø.018" Manila Hemp	11 yds	Sub with WP1231 .4mm Jewelry Nylon
WP1242	∅.021" Manila Hemp	15 yds	.5mm Jewelry Nylon
WP1235	Ø.070" Manila Hemp	2 yds	2mm Jewelry Nylon

WOOD DOWELS

Note: All dowels are Beech unless otherwise noted. Dowels are supplied in lengths as noted. Cut to length as required.

Ø'	1/8 x 24"	5	Also use as 3/32"
Ø	5/32 x 24"	2	
Ø3	3/16 x 24"	1	
Ø	5/16 x 24"	1	
Ø	5/64 x 12"	6	Use as 1/16" & 3/64"
Ø	5/32 x 12"	1	
ø'	1/4 x 8"	1	

WOOD STRIPS, SHEETS, AND BLOCKS

Note: All wood is Basswood or Limewood (European Basswood) unless otherwise noted. Wood strips, sheets, and blocks are supplied in lengths as noted. Cut to length as required.

STRIPS

WP3619-24	1/16 x 3/32 x 24"	5
WP3622-24	1/16 x 3/16 x 24"	10
WP3640-24	3/16 x 3/16 x 24"	3
WP3633-24	1/8 x 3/16 x 24"	3

WP3602-24	1/32 x 1/16 x 24"	15
WP3641-24	3/16 x 1/4 x 24"	6
WP3623-24	1/16 x 1/4 x 24"	4
WP3620-24	1/16 x 1/8 x 24"	100
WP3669-24	1/16 x 5/32 x 24"	15
WP3618-24	1/16 x 1/16 x 24"	10
WP3631-24	1/8 x 1/8 x 24"	3
WP3604-24	1/32 x 1/8 x 24"	10
WP3600-24	1/32 x 1/32 x 24"	10
WP3625-24	3/32 x 3/32 x 24"	3
WP3626-24	3/32 x 1/8 x 24"	3
WP3653-24	1/32 x 5/32 x 24"	2

LASER-CUT WOOD PARTS

Note: The laser cut oval deadeyes shown on the pattern plan show line holes. However, these could not be laser cut because of burning. Drill the three holes in the laser cut deadeyes.

WP4620-A	3/16" Thick Set Plywood Center Keel Forms (stern frames)	1	1 part 8 parts
WP4631-AA	3/16" Thick Set bass Stern Sternpost Rudder Bow fillers	1	1 part 1 part 1 part 2 parts
WP4620-B	3/16" Thick Set Plywood Bulkheads	1	8 parts
WP4620-C	3/16" Thick Set Plywood Bulkheads	1	4 parts
WP4628-D	1/8" Thick Set Ships boat Mast caps	1	24 parts
WP4627-E	3/32" Thick Set Jaw Halves Caps	1	4 parts 3 parts
WP4638-F	1/16" Thick Set Channels, cross trees, etc	1	
WP4638-G	1/16 <u>" Thick Set</u> Oars, carronades carriages	1	
WP4602-H	1/32" Thick Set Tops, pin rails, etc	1	
WP4657-I PLANS AND IN	3/64" Thick Set bass Parrels NSTRUCTIONS	1	15 parts

WP2260MB	Instruction Manual	1
WPPL2260-T	Framing Templates	8
WPPL2260-A	Plan, Set of 8 sheets	1
WPPL2260	Parts List	1

The cast carronades and long guns in this kit do not show the iron ring for the breech line as depicted on the model prototype. If you wish to show this detail. Simply drill a small hole on an angle through the cannon as shown in the diagram below. Then insert an eye bolt into the hole to represent the breech ring. You will need to shorten the stem of the eye bolt before gluing it into the hole. Paint the casting black after you are finished. The casting is made from soft metal and drilling the hole should not be difficult. It does not have to be very deep."

